

# **SureDry Cabinet with Tracking System and Dri-Scope Aid®-SCSS8036TD-T3316D**

Brand: Harloff

Item#: SCSS8036TD-T3316D

Material: Stainless

Lock Type: Key

Dimensions: W 36" x H 93" x D 24"

This SureDry endoscope drying and tracking cabinet includes the industry best positive pressure HEPA filtered drying system. Inside air is replaced inside the cabinet up to four times per minute. This endoscope cabinet tracking system meets or exceeds AORN, SGNA, and AAMI guidelines.

## **Features**

- Positive pressure fully redundant fan system
- Unit features three intake fans and two exhaust fans
- Fan run time is fully adjustable and activated each time cabinet is closed
- HEPA filter removes 99.7% of particulates, .03 Microns
- Holds fourteen scopes with secure adjustable mounting system
- Replaceable HEPA Filter system without removal of scopes
- Medical grade electrical system
- Tempered glass double doors
- Key lock with two keys
- Multiple locking options available including badge entry
- Easy to clean removable drip tray

- Cabinets are delivered fully assembled
- 12-Year Manufacturer's Warranty on shipments to US and Canada, 5-Year Manufacturer's Warranty on all other International shipments.
- 1-Year Limited Warranty on any bought-out parts

## **TRACKER FEATURES & BENEFITS**

- Digital display maintains a list of scopes by drying status, with displays of scope processing times
- Intelligent automated scheduler continuously processes scopes as long as they remain checked into the system
- Includes default or customizable settings and drying options unique to each endoscope
- Scope tracker maintains records of scope drying events, user access, check-ins and check-outs
- Color touch screen access by authorized personnel is completed by passcode, with adjustable session timeout settings and options for passcode retrieval if forgotten
- Various adjustable timing options controlled through the color touchscreen including drying, pre-drying and venting time settings, hang time limits, endoscope removal/load delay timing, etc
- At a glance, display shows scope inventory and reprocessing status including the time until scope expiration requiring further reprocessing
- Slot display order settings displayed on the status screen per user preferences
- Configurable replacement times for tubing and pump filter, with overdue warnings/indicator lights
- Downloadable export files available for endoscope management, user lists and more
- Customizable Hang Time Monitor adjusts the number of days your scopes hang; you will be alerted when a scope is about to expire

## **Dri-Scope Aid® Features**

- Significantly improves drying of internal channels
- HEPA filter offers a 99.97% retention rate of particles that have a size > 0.3µm
- Provides constant air delivery through all internal endoscope channels
- Short drying cycle for quick turn-around time
- Continuous venting cycle for overnight storage
- Automatic high-pressure shutoff
- Fulfills forced air recommendations
- Self-adjusting high-pressure regulation

## **Dri-Scope Aid® Ease of Operation**

- Hands-free operation
- Visual display of purging times
- Simple to attach individual scope connectors
- Works with all major endoscope brands
- Filter replacement indicator light
- Dries 4 to 14 endoscopes

## **Accessories Included**

- Dri-Scope Aid®, industry leading internal lumen drying system

## **Optional Accessories**

- Brighten your cabinet with fully dimmable overhead LED lighting which triggers on door open/close

**\* Made in the USA \***

--